

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

---

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

Trade name : perform® sterile wipes IPA  
Unique Formula Identifier (UFI) : CAH0-A0Y0-W00V-HEJC

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/Mixture : Disinfectants and general biocidal products  
Recommended restrictions on use : Restricted to professional users.

#### **1.3 Details of the supplier of the safety data sheet**

Producer : Schülke & Mayr GmbH  
Robert-Koch-Str. 2  
22851 Norderstedt  
Germany  
Telephone: +49 (0)40/ 52100-0  
Telefax: +49 (0)40/ 52100318  
mail@schuelke.com  
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.  
Cygnet House  
1, Jenkin Road  
Sheffield S9 1AT  
United Kingdom  
Telephone: +44 114 254 35 00  
Telefax: +44 114 254 35 01  
mail.uk@schulke.com

E-mail address of person responsible for the SDS/Contact person : Application Specialists  
+49 (0)40/ 521 00 666  
AD@schuelke.com

#### **1.4 Emergency telephone number**

Emergency telephone number : Carechem 24 International: +44 1235 239670

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Flammable liquids, Category 2

H225: Highly flammable liquid and vapour.

Eye irritation, Category 2

H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure, Category 3, Central nervous system

H336: May cause drowsiness or dizziness.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

Supplemental Hazard Statements :

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements :

**Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P261 Avoid breathing vapours.  
P280 Wear eye protection/ face protection.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

propan-2-ol

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Aqueous, alcohol containing solution on non-woven

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 50 - < 70

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Take off all contaminated clothing immediately.  
Call a POISON CENTER or doctor/ physician.
- If inhaled : IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with plenty of water.  
If skin irritation occurs: Get medical advice/ attention.
- In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.
- If swallowed : IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

Risks : Causes serious eye irritation.  
May cause drowsiness or dizziness.

### **4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : For specialist advice physicians should contact the Poisons  
Information Service.

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : Do NOT use water jet.

### **5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

### **5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment. In the event of fire, wear self-contained breathing apparatus.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Ensure adequate ventilation.  
Remove all sources of ignition.

### **6.2 Environmental precautions**

Environmental precautions : No special environmental precautions required.

### **6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Use mechanical handling equipment.

### **6.4 Reference to other sections**

see Section 8 + 13

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## perform® sterile wipes IPA

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

- Advice on safe handling : Ensure adequate ventilation.
- Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.
- Hygiene measures : Keep away from food and drink.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep containers tightly closed in a cool, well-ventilated place.
- Further information on storage conditions : Keep away from direct sunlight. Keep at temperature not exceeding 25 °C.
- Advice on common storage : Do not store together with oxidising agents. Do not store near acids.

### 7.3 Specific end use(s)

- Specific use(s) : none

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m <sup>3</sup>	GB EH40
		STEL	500 ppm 1,250 mg/m <sup>3</sup>	GB EH40

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Intermittent use/release	140.9 mg/l
	Effects on waste water treatment plants	2251 mg/l
	Oral	160 mg/kg food

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

### 8.2 Exposure controls

#### Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection
- Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120 Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protection.
- Skin and body protection : Work uniform or laboratory coat.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Avoid contact with skin and eyes.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : Aqueous, alcohol containing solution on non-woven
- Colour : colourless
- Odour : alcohol-like
- Odour Threshold : not determined
- pH : Not applicable
- Melting point/freezing point : < -80 °C  
of the active solution
- Decomposition temperature : Not applicable
- Boiling point/boiling range : > 90 °C of the active solution  
literature value
- Flash point : 22 °C  
Method: DIN 51755 Part 1  
of the active solution
- Evaporation rate : No data available
- Upper explosion limit / Upper flammability limit : 12 %(V)  
Raw material  
literature value
- Lower explosion limit / Lower flammability limit : 2 %(V)  
Raw material

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## perform® sterile wipes IPA

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

---

		literature value
Vapour pressure	:	> 42 hPa (20 °C) Raw material literature value
Relative vapour density	:	No data available
Density	:	ca. 0.88 g/cm <sup>3</sup> (20 °C) of the active solution
Solubility(ies)		
Water solubility	:	in all proportions (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity		
Viscosity, dynamic	:	> 2.5 mPa*s (20 °C) Raw material
Viscosity, kinematic	:	not determined
Explosive properties	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Flammability (liquids)	:	Highly flammable liquid and vapour.
Metal corrosion rate	:	None reasonably foreseeable.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Exposure to sunlight.

### 10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### propan-2-ol:

Acute oral toxicity	: LD50 (Rat): 5,840 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 39 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit): 13,900 mg/kg Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### propan-2-ol:

Result	: No skin irritation
--------	----------------------

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### propan-2-ol:

Result	: Eye irritation
--------	------------------

#### Respiratory or skin sensitisation

##### Skin sensitisation

Not classified based on available information.

##### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### propan-2-ol:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Did not cause sensitisation on laboratory animals.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **propan-2-ol:**

Genotoxicity in vitro	:	Test Type: Ames test Method: Mutagenicity (Escherichia coli - reverse mutation assay) Result: Non mutagenic
Genotoxicity in vivo	:	Species: Mouse Method: Mutagenicity (micronucleus test) Result: Non mutagenic
Germ cell mutagenicity- Assessment	:	Not mutagenic in Ames Test

### **Carcinogenicity**

Not classified based on available information.

#### **Components:**

##### **propan-2-ol:**

Remarks	:	Based on available data, the classification criteria are not met.
---------	---	---

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **propan-2-ol:**

Effects on foetal development	:	Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 400 mg/kg body weight
Reproductive toxicity - Assessment	:	Based on available data, the classification criteria are not met.

### **STOT - single exposure**

May cause drowsiness or dizziness.

#### **Components:**

##### **propan-2-ol:**

Assessment	:	May cause drowsiness or dizziness.
------------	---	------------------------------------

### **STOT - repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

### Components:

#### propan-2-ol:

||Remarks : Based on available data, the classification criteria are not met.

### Repeated dose toxicity

### Components:

#### propan-2-ol:

||Remarks : No data available

### Aspiration toxicity

Not classified based on available information.

### Further information

### Product:

Remarks : No data is available on the product itself.  
Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

### Components:

#### propan-2-ol:

||Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h

||Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 10,000 mg/l  
Exposure time: 48 h

||Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test

EC50 (green algae): 1,800 mg/l  
Exposure time: 7 d

### 12.2 Persistence and degradability

### Product:

Biodegradability : Result: Readily biodegradable.  
Remarks: of the active solution

### Components:

#### propan-2-ol:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

Biodegradability : Result: Readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### propan-2-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 0.05 (20 °C)  
Method: OECD Test Guideline 107

### 12.4 Mobility in soil

#### Components:

##### propan-2-ol:

Mobility : Remarks: Mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : None known.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Can be incinerated or landfilled together with household waste in compliance with the regulations, and after consultation with

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758



## perform® sterile wipes IPA

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

the waste disposal services.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number

ADR : UN 3175

IMDG : UN 3175

IATA : UN 3175

### 14.2 UN proper shipping name

ADR : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
(propan-2-ol)

IMDG : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
(propan-2-ol)

IATA : Solids containing flammable liquid, n.o.s.  
(propan-2-ol)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 4.1	
IMDG	: 4.1	
IATA	: 4.1	

### 14.4 Packing group

**ADR**  
Packing group : II  
Classification Code : F1  
Hazard Identification Number : 40  
Labels : 4.1  
Tunnel restriction code : (E)

**IMDG**  
Packing group : II  
Labels : 4.1  
EmS Code : F-A, S-I

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 448  
Packing instruction (LQ) : Y441  
Packing group : II  
Labels : Flammable solid

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 445

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

Packing instruction (LQ) : Y441  
Packing group : II  
Labels : Flammable solid

### 14.5 Environmental hazards

#### **ADR**

Environmentally hazardous : no

#### **IMDG**

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Transport in accordance to special provision 216

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Registration number : EU-0023656-0000

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 46 %

#### **Other regulations:**

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

94/33/EC on the protection of young people at work.

### **The components of this product are reported in the following inventories:**

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

### **15.2 Chemical safety assessment**

**||** No Chemical Safety Assessment has been carried out for this mixture.

## **SECTION 16: Other information**

### **Full text of H-Statements**

H225	:	Highly flammable liquid and vapour.
H319	:	Causes serious eye irritation.
H336	:	May cause drowsiness or dizziness.

### **Full text of other abbreviations**

Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended  
by UK REACH Regulations SI 2019/758

**schülke** 

## **perform® sterile wipes IPA**

**No Change Service!**

Version  
03.02

Revision Date:  
04.03.2024

Date of last issue: 23.09.2022

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Flam. Liq. 2	H225
Eye Irrit. 2	H319
STOT SE 3	H336

#### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.